

# INDEX MAPS.

**T. 29N, R. 1W. 2<sup>nd</sup> Mer.**

	7	7	6	6	5	5						
9	6	30	5	24	4	21	3	17	2	13	1	5
	<del>29</del>		<del>29</del>		<del>24</del>		<del>20</del>		<del>17</del>		<del>13</del>	
9	7	29	8	23	9	20	10	16	11	12	12	4
	<del>28</del>		<del>28</del>		<del>23</del>		<del>20</del>		<del>16</del>		<del>12</del>	
9	18	28	17	23	16	19	15	16	14	12	13	4
	<del>27</del>		<del>27</del>		<del>23</del>		<del>19</del>		<del>15</del>		<del>11</del>	
8	19	27	20	22	21	19	22	15	23	11	24	3
	<del>27</del>		<del>26</del>		<del>22</del>		<del>19</del>		<del>15</del>		<del>10</del>	
8	30	26	29	22	28	18	27	14	26	11	25	3
	<del>25</del>		<del>25</del>		<del>21</del>		<del>18</del>		<del>14</del>		<del>10=11</del>	
7	31	25	32	21	33	18	34	14	35	11	36	3
	2		2		2		1		1		1	

**T. 30N, R. 1W. 2<sup>nd</sup> Mer.**

	40		39		39		38		38		37	
43	6	66	5	59	4	55	3	52	2 <sup>x</sup>	47	1	37
	<del>65</del>		<del>65</del>		<del>59</del>		<del>55</del>		<del>51</del>		<del>47</del>	
43	7	65	8	58	9	55	10	51	11	47	12	37
	<del>64</del>		<del>64</del>		<del>58</del>		<del>54</del>		<del>51</del>		<del>46</del>	
42	18	64	17	58	16	54	15	50 <sup>x</sup>	14	46	13	36
	<del>63</del>		<del>63</del>		<del>57</del>		<del>54</del>		<del>50<sup>+</sup></del>		<del>46<sup>x</sup></del>	
42	19	62	20	57	21	53	22	49	23	46	24	36
	<del>62</del>		<del>61</del>		<del>56</del>		<del>53</del>		<del>49</del>		<del>45</del>	
41	30	61	29	56	28	53	27	49	26	45	25	36
	<del>60</del>		<del>60</del>		<del>56</del>		<del>52</del>		<del>48</del>		<del>44</del>	
40	31	60	32	56	33	52	34	48	35	44	36	35
	<del>35</del>		<del>34</del>		<del>34</del>		<del>34</del>		<del>33</del>		<del>33</del>	

Meanders 66

(P) The figures on the lines refer to the page.





T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. <sup>e</sup>)

C. L.

Mest On the S. side of sec. 34

- 3.05 To a Y. Oak 12 in dia. in the line  
 26.00 To a marsh with muskrats houses.  
 38.50 Leave the same  
 40.00 Set the gr. sec. cor. post from which  
     a Y. Oak 14 in dia. bears N 44 E 34 th. dist.  
     & a Do. 18 " " " N 34 W 41 " dist.  
 51.00 To prairie bottom a wet & dry, some water  
 80.00 Set a post cor. to sec. 33 & 34 from wh.  
     no bearings - Rained a mound for cor.  
     Land ex. prairie & marsh rolling & poor,  
     & the timber is Y & W. Oak &

Mest On the S. side of sec. 33

- 28.00 Enter a marsh  
 40.00 Set the gr. sec. cor. post from which  
     a W. Oak 18 in dia. bears N 15 E 122 th. dist.  
     & a Do. 14 " " " N 60 E 134 " "  
 41.00 Leave the marsh  
 43.63 To a Y. Oak 15 in dia. in the line,  
 49.29 To a W. Oak 8 " " " " "  
 80.00 Set a post cor. to sec. 32 & 33 from wh.  
     a W. Oak 11 in dia. bears N 56 W 38 th. dist.  
     & a Do. 9 " " " N 64 E 164 " "  
     Land is similar to last mile)

Mest On the S. side of sec. 32

- 40.00 Set the gr. sec. cor. post from which  
     a Br. Oak 8 in dia. bears N 56 W 124 th. dist.  
     & a Hickory 17 " " " N 55 E 148 " "  
 43.69 To a Br. Oak 8 " " in the line,  
 80.00 Set a post cor. to sec. 31 & 32 from wh.  
     a Y. Oak 16 in dia. bears N 69 W 395 th.

T. 30. N. R. 1 W. 2<sup>nd</sup>. Nov. (Ind.?) 35

C. L.

& a W. Oak 16 in. dia. bears N 27 $\frac{1}{2}$  E 579 ths.  
Land level & mostly good soil. almost prairie  
some scattering Br. & Y. Oak & Hickory  
& some low wet places,

West On the S. side of sec. 31,

7.00 Enter a marsh

11.50 Leave the do., water has a current to N.

19.00 Leave scattering timber & cont. dry prairie

40.00 Set gr. sur. cor. post in prairie &  
where raised a mound,

80.50 To wet prairie or marsh

82.34 To the W. boundary, at end of 5.75.12 ths.

& set post cor. to Town 29 & 30 N. R. 1 & 2 W.

a B. Oak 18 in. dia. bears S 15 $\frac{1}{2}$  E 977 ths. int.

& raised mound in marshy barony,

Barony similar. prairie level good soil,

(Var. 5. 35' E.) Nov. 30<sup>th</sup> 1833. very warm & pleasant,

Surveyed By Clark & Sibley. D. Sur.

East Boundary. (Var. 5. 30' E.)

North On the E. side of sec. 36,

4.72 To a stream 20 ths. wide en. S. W.

30.36 Leave prairie at a B. Oak 24 in. dia.,

35.50 To an Ind. trail en. NW,

40.00 Set the gr. sur. cor. post from which

a B. Oak 4 in. dia. bears S 38 W 100 ths.

& a Do. 20 " " " N 6 W 116 " int.

45.00 Enter a wet prairie,

75.00 Leave the " Do.

80.00 Set a post cor. to sec. 25 & 36 from wh.

a B. Oak 18 in. dia. bears S 5 $\frac{1}{2}$  W 28 ths. int.

& Do. 22 " " " N 45 W 15 " "

T. 30 N. R. 1 W. 3<sup>rd</sup> Mer. (Ind.')

Co. L. Land chiefly all wet prairie

North On the E. side of sec. 25  
 18.53 To a B. Oak 18 in. dia. in the line,  
 40.00 Set the gr. res. cor. post from which  
     a B. Oak 30 in. dia. bears S27°W 123 ft.,  
     & a Do. 4 " " " N65°W 74 " dit.,  
 74.00 Entered a wet prairie  
 78.59 To a Hickory 14 in. dia. in line & leave prairie  
 80.00 Set a post cor. to sec. 24 & 25 from which  
     a Hickory 16 in. dia. bears N45°W 27 ft. dit.,  
     & a Do. 10 " " " N27½°W 39 " "  
 Land 3<sup>rd</sup> rate. Oak timber. No M.G. —

North On the E. side of sec. 24  
 31.00 To a B. Oak 20 in. dia. in the line,  
 40.00 Set the gr. res. cor. post from which  
     a B. Oak 14 in. dia. bears S55°W 19 ft.,  
     & a W. Oak 12 " " " N53°W 29 " dit.,  
 62.00 Entered a wet prairie  
 73.00 Leave the Do.,  
 78.75 To a Hickory 20 in. dia. in the line,  
 79.00 Entered a wet prairie,  
 80.00 Set a post cor. to sec. 13 & 24 from wh.,  
     a W. Oak 24 in. dia. bears S10°W 120 ft.,  
     & a Do. 22 " " " N17°W 127 " dit.,  
 Land is same as on last mile,

North On the E. side of sec. 13,  
 40.00 Set the gr. res. cor. post from which  
     a W. Oak 24 in. dia. bears S83°E 281 ft.,  
     no other tree May 7 (post in prairie)  
 80.00 Set a post cor. to sec. 12 & 13 from wh.,

T. 30 N. R. 1 W. 2<sup>nd</sup> Nov. (Ind. <sup>o</sup>)

37

C. L. no burnings, but Raised a mound  
Land wet prairie,

---

North On the E. side of sec. 12.

26.00 Leave the prairie,

26.50 To a B. Oak 16 in. dia. in the line,

40.00 Set the gr. peg, cor. post from which  
a B. Oak 15 in. dia. bears S 9° W 18 1/2 th. dist,  
+ a W. Oak 16 " " " N 22° W 38 " "

56.42 To a B. Oak 12 " " in the line,

80.00 Set a post cor. to sec. 1 & 12 from which  
a B. Oak 20 in. dia. bears S 3° W 47 1/2 th.,  
+ a J. Oak 20 " " " N 18° W 17 1/4 " dist;  
Land level & 3<sup>rd</sup> rate & the timber is Oak &c,

---

North On the E. side of sec. 1,

10.00 Entered barrens,

30.56 To a small lake & set post S. W. side  
a Br. Oak 6 in. dia. bears S 47° E 32 th. dist,  
no other tree.

69.00 Set a post on N. W. side of Lake -

a. W. Oak 14 in. dia. bears N 5° W 12 1/2 th. dist,  
+ a B. Oak 20 " " " N 27° W 119 " "

This lake was papered by an offset of  
30 chn. West N. 38 chn. 44 th. E 30 chn to line,

Land &c. is same as last mile,

80.00 Set a post cor. to Town 30 & 31 N. R. 1 W.

a W. Oak 21 in. dia. bears N 36° E 14 3/4 th.,

+ a Do. 22 " " " N 6° W 2 1/4 th. dist,

Land &c. is same as on last mile.

Surveyed in May 1829. By David Willis D. S. -

---

North Boundary.

West On the S. side of sec. 36 T. 31 N. R. 1 W



T. 30 N. R. 1 W. 2<sup>nd</sup> Mer (Ind.)

6. L.	
12.00	To a Lameran swamp
18.00	Leave the Do. & Enter a marsh again,
25.50	To a sluggish meiry brook 25 <sup>th</sup> . wide N.W.
40.00	Set the gr. res. cor. post from which a W. Oak 18 in. dia. bears N 30 $\frac{1}{2}$ W 6.20 <sup>th</sup> . dit no other. corner in water,
40.50	To sluggish brook again 50 <sup>th</sup> . wide N.W.
65.00	" the same " on N.W.
70.00	Leave the marsh, most of it a quagmire
80.00	Set a post cor. to res. 35 & 36 from wh. a Hickory 16 in. dia. bears N 86 $\frac{1}{2}$ W 155 <sup>th</sup> . to Do. 6 " " " N 11 E 48 <sup>th</sup> . dit, W. of marsh the land is level barrens, with little timber of Hickory & Oak &c.

Met	On the S. side of sec. 35, T. 31. N. 1 W
3.87	To a Br. Oak 8 in. dia. in the line
18.00	To a marsh or wet prairie,
40.00	Set the gr. res. cor. post in marsh, a W. Oak 9 in. dia. bears S 12 $\frac{1}{4}$ W 496 <sup>th</sup> . to a G. Oak 14 " " " N 87 W 10.09 " dit,
66.00	Leave the marsh or wet prairie;
77.83	To a G. Oak 14 in. dia. in the line,
80.00	Set a post cor. to res. 34 & 35 from wh. a W. Oak 21 in. dia. bears N 77 $\frac{1}{2}$ W 231 <sup>th</sup> . to a G. Oak 14 " " " N 70 $\frac{1}{4}$ E 100 " dit, W. of prairie a G. Oak sandy ridge from line some parts of prairie may be dry enough for cultivation. 2 <sup>nd</sup> rate soil —

Met	On the S. side of sec. 34 T. 31. N. 1 W
25.00	To wet prairie,
40.00	Set the gr. res. cor. post from which

39

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind.?)

- 61.00 a W. Oak 9 in. dia. bears N 17 1/4 E 489 ft.,  
 & a G. Oak 14 " " " N 14 W 396 dit.,  
 47.00 Leave the prairie,  
 50.50 To a low prairie,  
 80.00 Set a post cor. to sec. 33 & 34 f. wh.,  
 a G. Oak 18 in. dia. bears N 55 1/2 W 222 ft.,  
 & a Do. 6 " " " N 31 E 255 " dit.,  
 E. 25 chs, rolling G. Oak bearing. & W 55  
 level & mostly low some scattering Pin Oak, poplar.

- Nest On the S. side of sec. 33 T 31 N R 1 W  
 13.00 Enter prairie,  
 18.00 Leave Do. & Enter a marsh  
 27.00 Leave Do. & " " Dry prairie,  
 34.00 Enter a marsh again,  
 40.00 Set the gr. sec. cor. post in marsh  
 a Hickory 13 in. dia. bears N 69 1/4 E 831 ft.,  
 & no other tree near,  
 59.00 Leave the marsh & Enter thick? land,  
 80.00 Set a post cor. to sec. 32 & 33 from wh.,  
 a W. Oak 16 in. dia. bears N 23 E 87 ft. dit.,  
 & a Do. 17 " " " N 41 1/2 E 123 " "  
 Land &c. is similar to last mile.

- Nest On the S. side of sec. 32 T 31 N R 1 W,  
 1.00 Enter a prairie,  
 40.00 Set the gr. sec. cor. post in prairie  
 where raised a mound of stones.  
 59.00 Leave the prairie,  
 76.70 To an Indian trail cor. South  
 80.00 Set a post cor. to sec. 31 & 32 from wh.  
 a W. Oak 21 in. dia. bears N 64 1/2 E 146 ft. dit.,  
 & a Do. 16 " " " N 15 W 125 " "

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. <sup>o</sup>)

C. L. Prairie is mostly red rate & dry land  
some low places about benches or a ft.  
under water the general surface, scatter-  
ing stones of the kind called "Hard heads"  
or cobbles sand stone. W. of prairie the  
land is level poor barrens W. & Y. Oak &c.

West On the S. side of sec. 31 T 30 N R 1 W  
10.19 To a G. Oak 24 in. dia. in the line,  
40.00 Set the gr. sur. cor. post from which  
a W. Oak 18 in. dia. bears N 47 $\frac{1}{2}$  W 97 $\frac{1}{2}$  lbs  
4 a Do. 14 " " " N 27 E 137 $\frac{1}{2}$  lbs,  
58.00 To the left bank of Leppicauw River  
a G. Oak 17 in. dia. bears N 88 E 74 $\frac{1}{2}$  lbs. dist. 4  
a W. Oak 15 " " " S 29 W 103 " "  
63.44 Over the River ex. from W by N to S W,  
at a G. Oak 9 in. dia. cor. tw. Bluff  
shows on both banks,  
82.17 To a G. Oak 19 in. dia. in the line,  
83.78 To the W. boundary, at 5.79.54 lbs. set post,  
a W. Oak 14 in. dia. bears N 12 W 39 lbs. dist.  
4 a Do. 9 " " " S 21 W 53 " "  
Land rolling barrens. thin soil & the  
timber is W & Y. Oak &c. (Var. 5° 25' E.)  
Dec. 4<sup>th</sup> 1833. Surveyed by Clark & Hefley,  
Sibley & Clark Dep. Sur. -

## West Boundary. (V. 5° 25' E.)

North On the E. side of sec. 36 T 30 N R 2 W  
1.00 To a Dry prairie & leave mark  
40.00 Set the gr. sur. cor. post in prairie,  
where raised a mound (=prairie  
80.00 Set post cor. to Sec. 25 & 36 on N side of =

41

T. 30 N. R. 1 W 2<sup>nd</sup> Mer. (Ind. <sup>a</sup>)

C. L. a W Oak 12 in dia, bears N 41  $\frac{1}{2}$  W 59 lth. dist,  
 & a G. Oak 19 " " " S 89  $\frac{1}{2}$  W 70 " "  
 Land is very level prairie mostly dry &  
 good soil &

---

North On the E. side of sec. 25 & 30 N R 2 W  
 4.12 To a W. Oak, 16 in dia, in the line,  
 5.00 Descend a bank 20 ft. to creek bottom  
 10.50 To a Brook 25 lth. wide cr. S W  
 13.00 Leave bottom, rise bank 20 ft. to level oakland  
 22.00 To Tappianus River. High bluff shore  
 & set a post, on left bank, from which  
 a W. Oak 12 in dia bears N 40 W 66 lth. dist &  
 a Do. 16 " " " N 61 E 27 " "  
 31.22 Leave River cr. N. W. to W set post on L. bank  
 a Sycamore 36 in dia, bears S 27  $\frac{3}{4}$  E 236 lth,  
 & a Do. 30 " " " N 45 W 34 " dist,  
 & Enter bottom  
 38.00 Rise bank 25 ft. leave bottom  
 40.00 Set the gr. sur. cor. post from which  
 a W. Oak 20 in dia, bears S 88 W 79 lth. dist,  
 & a Do. 16 " " " N 12 W 30 " "  
 46.71 To a W. Oak 14 " " in the line,  
 68.31 To the left bank of Tappianus cr. S W,  
 at a W. Oak 16 in dia, corner tree  
 76.81 Over the River & set post on right bank  
 a W. Oak 26 in dia, bears N 79  $\frac{1}{2}$  W 232 lth,  
 & a Do. 36 " " " N 9 E 408 " dist,  
 80.00 Set a post corner to Secs. 24 & 25 from which  
 a W. Oak 36 in dia, bears N 40  $\frac{1}{2}$  W 141 lth,  
 & a Do. 14 " " " S 76  $\frac{3}{4}$  W 241 " dist,  
 Land, bearing good soil & well timbered,

---



T. 30 N. R. 1 W. 3<sup>rd</sup> Mer. (Ind. <sup>a</sup>)

C. L.  
 North On the E. side of Section 24 T30N R3W  
 4.46 To a G. Oak 30 in. dia. in the line,  
 11.13 " " W. Oak 17 " " " "  
 40.00 Set the gr. sur. cor. post from which  
 a W. Oak 12 in. dia. bears S 36 $\frac{1}{2}$  W 47 $\frac{1}{2}$  M. dist,  
 & a Do. 19 " " " S 4 $\frac{1}{2}$  W 370 "  
 — To a Y. Oak in the line,  
 78.00 Enter a marsh  
 80.00 Set a post cor. to sec. 13 & 24 from wh,  
 a W. Oak 20 in. dia. bears S 47 W 833 M. dist,  
 & a Do. 16 " " " S 2 $\frac{1}{2}$  W 780 "  
 Land rolling hilly & then ridg<sup>y</sup> thirty  
 timbered with W & Y Oak, & Hickory &c

North On the E. side of sec. 13 T30N R3W  
 5.00 Leave the Marsh  
 22.71 To a W. Oak 14 in. dia. in the line,  
 27.95 " " Y. Oak 16 " " " "  
 29.00 To River bottoms, dry prairie  
 40.00 Set the gr. sur. cor. post from which  
 a Hickory 11 in. dia. bears S 32 W 245 M.,  
 & a Br. Oak 15 " " " S 73 $\frac{1}{2}$  W 192 "  
 43.10 To the Right bank of Tippecanoe River  
 a Br. Oak 17 in. dia. bears S 82 $\frac{1}{2}$  E 81 M. dist,  
 & a Do. 16 " " " S 71 $\frac{1}{2}$  W 68 "  
 46.44 Over the River cr. fr. W. to E. with a  
 Sycamore 14 in. dia. cor. tree,  
 57.50 Leave bottoms at an Ind. trail S. E.,  
 76.16 To a W. Oak 14 in. dia. in the line,  
 80.00 Set a post cor. to sec. 12 & 13 from wh,  
 a W. Oak 11 in. dia. bears S 75 W 114 M. dist,  
 & a Do. 10 " " " " S 59 $\frac{3}{4}$  W 102 "  
 South of River land &c. same as last

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. 4) <sup>43</sup>

C. L. N. of River some brushy & many  
Poplar Oak &c. poor & sandy, chiefly,

---

North On the E. side of sec. 13 T. 30 N. R. 2 W

7.50 Enter a Meander

13.00 Leave the Do.

32.33 To a W. Oak 16 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a Pin Oak 8 in. dia. bears N 30 W 13 1/2 lbs. dist,  
& a W. Oak 8 " " " S 73 W 45 " "

42.00 To River bottoms timbered

45.75 To a Maple 10 in. dia. in the line,

57.42 To the Left bank of Tipton River  
a Sycamore 12 in. dia. bears S 78 W 18 lbs. dist,  
& a Hickory 6 " " " S 34 E 18 " "

55.62 Over the River cor. S. W., from which  
a Pin Oak 9 in. dia. bears N 48 E 200 lbs. dist,  
& a Sycamore 18 " " " S 33 W 53 " "

58.50 Leave bottoms

62.37 To a W. Oak 12 " " in the line

80.00 Set a good cor. to sec. 14 1/2 from wh.,  
a Pin Oak 24 in. dia. bears S 55 W 46 lbs.,  
& a B. Gum 14 " " " N 70 1/2 W 80 lbs.,

Up land rolling poor soil some low  
places. Timber W & Oak &c. --

---

North On the E. side of sec. 1 T. 30 N. R. 2 W  
a W. Oak 16 in. dia. in the line,

21.83 To the Right bank of Tipton River  
a W. Oak 16 in. dia. bears S 3 1/2 E 550 lbs.,  
& a Do. 18 " " " S 19 1/2 W 346 "

33.87 Over River corner S. E., set post  
a W. Oak 14 in. dia. bears N 84 E 31 lbs.,

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. 2)

- C. L. & a Spruce 8 in. dia. bears N 60° W 8 1/2 M. dist.  
 40.00 Set the 2<sup>nd</sup> sec. cor. post from which  
 a Y. Oak 24 in. dia. bears N 26° W 33 M. dist.  
 & a Red Oak 10 " " " S 26 3/4° W 64 " "  
 44.64 To the left bank of Tippecanoe River  
 at a Y. Oak 8 in. dia. cor. tree,  
 55.00 Over the River on S. E. W set post  
 a Y. Oak 16 in. dia. bears S 32° W 188 M.  
 & a W. Oak 17 " " " N 61 3/4° W 131 "  
 79.54 To the Township corner,  
 Land &c. is same as on last mile,  
 Tav. 5° 25' E. Dec. 3<sup>rd</sup> 1833. Surveyed by  
 Clark & Sibley, Deputy Surveyors.

## Subdivisions.

- North Between sections 35 & 36,  
 32.50 To a B. Oak 30 in. dia. in the line  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 20 in. dia. bears S 39 1/2° E 124 M. dist.  
 & a Do. 30 " " " N 30° E 28 " "  
 49.00 To a W. Oak 20 " " in the line,  
 63.59 To a B. Oak 30 " " " " "  
 80.00 Set a post cor. to sec. 25, 26, 35 & 36,  
 a W. Oak 18 in. dia. bears N 27° E 4 1/2 M. dist.  
 & a Do. 12 " " " N 26° W 43 " "  
 Land is third rate with many scattering  
 trees W. & B. Oak &c.

- East On Random between sections 25 & 36  
 79.59 To the E. line of sec. 34 M. S. of post,

- West Correct the line between sec. 25 & 36,  
 10.83 To a B. Oak 30 in. dia. in the line,

T. 30 N. R. 1 W. Mer. (Ind. a) 45

C. L.  
24.89 To a B. Oak 20 in. dia. in the line,  
39.79½ Set the gr. sec. cor. post from which  
a B. Oak 25 in. dia. bears N 32 W 109 M,  
4a Do. 24 " " " N 71 E 423 " dit,  
59.20 To a Hickory 20 " " in the line,  
79.59 To the section corner, Sec. 1 rate dry barney  
& scattering timber of W. B. Oak & Hickory  
& the mud brush same where any,

---

North Between sections 25 & 26

18.00 To a B. Oak 30 in. dia. in the line,  
40.00 Set the gr. sec. cor. post from which  
a Large Oak — bears N 22 E 128 M,  
4a Do. — " N 34 E 226 " dit,  
62.25 To a Hickory 20 in. dia. in the line,  
80.00 Set a post cor. to sec. 23, 24, 25 & 26,  
a Hickory 18 in. dia. bears S 84 W 430 M,  
4a Do. 20 " " " N 77 W 397 "  
wet barney flag & bullrush swamp  
The timber is Hickory & Oak, scarce

---

East On Random between sec. 24 & 25  
80.04 To the E line of sec. 4 M. N. of post,

---

West Correct the line between sec. 24 & 25  
28.40 To a Hickory 20 in. dia. in the line,  
40.02 Set the gr. sec. cor. post from which  
a Hickory 20 in. dia. bears S 57 W 455 M,  
4a Do. 25 " " " S 10 W 475 "  
80.04 To the section corner,  
Land level, wet barney, & of quality  
& almost destitute of timber of any kind

---



T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. 1<sup>st</sup>)

C. L.

North Between sections 23 &amp; 24.

40.00 Set the gr. sec. cor. post in flag swamp  
& raised a mound.80.00 Set the post cor. to sec. 13, 14, 23 & 24  
a B. Oak 30 in. dia. bears S 4 1/2 E 74 th. dist,  
& a Do. 20 " " " S 39 E 102 ..  
Land is level & wet without timber  
but Bush & flag marsh or swamp

East On Random between sec. 13 &amp; 24

80.19 To the E. line of sec. 35 th. N. of post.

West Correct the line between sec. 13 &amp; 24

40.09 1/2 Set the gr. sec. cor. post from which  
a Hickory 20 in. dia. bears S 3 E 325 th.,  
& a Do. 15 " " " S 10 W 351 "80.19 To the sections corner, the whole of this  
line runs through open wet barrens  
groves of Hickory Oak &c. on either side,  
April 15<sup>th</sup> 1834. R. H. Hanna. D. S.

North Between sections 13 &amp; 14

40.00 Set the gr. sec. cor. post in mound.

67.17 To a B. Oak, 20 in. dia. in the line,

74.84 " " Do. 24 " " " " "

80.00 Set a post cor. to sec. 11, 12, 13 &amp; 14

a B. Oak 20 in. dia. bears S 37 E 84 th. dist,  
& a Do. 24 " " " N. 47 E 200 ..

Land generally wet barrens. B &amp; W Oak &amp;c.

East On Random between sections 12 &amp; 13

80.10 To the E. line of sec. 105 th. N. of post,  
in mound. Land wet barrens; no timber.

T. 30 N. R. 1 W. 3<sup>rd</sup> Mer. (Tad #)

47

C. L.

Under growth flag & tall bushes,

West Correct the line between sec. 12 & 13,  
40.08 Set the gr. sec. cor. post in mound,  
80.10 To the sections corner,

North Between sections 11 & 12,

14.55 To a Br. Oak 18 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a Br. Oak 18 in. dia. bears S 70 E 72 ths,  
& a W. Oak 6 " " " S 39 W 53 "

72.10 To a Br. Oak 20 " " in the line,

80.00 Set a post cor. to sec. 1.2.11 & 12 from wh,  
a Br. Oak 20 in. dia. bears N 23 E 6400 ths,  
& a W. Oak 20 " " " N 77 E 377 "

Land level wet barrens & scattering trees  
of W. & Br. Oak & Br. Oak &c -

East On Random between sections 18 & 12

80.92 To the E. line of sec. 150 ths. N. of post,

West Correct the line between sec. 14 & 12

7.41 To a W. Oak 18 in. dia. in the line,

11.87 " " Br. Oak 20 " " " " "

40.46 Set the gr. sec. cor. post from which

a Br. Oak 30 in. dia. bears S 33 E 175 ths,

& a Do. 24 " " " S 1 W 138 " dia,

80.46 To the sections corner, Land level  
& wet barrens, scarce of timber. Will  
reek & flag swamp

North Between sections 1 & 2

40.00 Set the gr. sec. cor. post from which  
Large Oak N 27 E 213 Do. N 20 E 188

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. a)

C. L.

- 66.91 To a W. Oak 12 in. dia. in the line,  
 78.43 To the N. boundary, 132 ch. W. of post,  
 Set post cor. to sec. 1 & 2 from wh.  
 a W. Oak 20 in. dia. bears S 62° W 34 ch. dist.  
 & a Do. 6 " " " S 70° E 27 " "  
 Land level 3<sup>rd</sup> rate & the timber is W. Oak  
 B. Oak &c. M.G. same. Swampy excepted.

North Between sections 34 &amp; 35,

- 21.52 To a B. Oak 20 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 30 in. dia. bears S 50° W 94 ch. dist.  
 & a Hickory 6 " " " S 50° E 125 "  
 47.35 To a B. Oak 25 in. dia. in the line,  
 56.25 " " W. Oak 18 " " " " "  
 64.71 " " B. Oak 20 " " in the line,  
 72.30 " " Do. 20 " " " " "  
 80.00 Set a post cor. to sec. 26, 27, 34 & 35  
 a B. Oak 8 in. dia. bears S 19° W 49 ch. dist.  
 & a Do. 20 " " " S 37° E 100 " "  
 Land is level & third rate W & B. Oak &c.  
 & the mud. It is of the same kind.

East On Random between sec. 26 &amp; 35

- 7.75 To a Creek 20 ch. wide cor. W,  
 79.21 To the E. line of sec. 20 ch. N. of post,  
 April 16<sup>th</sup> 1834.

West Correct the line between sec. 26 &amp; 35

- 39.60½ Set the gr. sec. cor. post from which  
 a B. Oak 30 in. dia. bears N 54° E 210 ch.  
 & a W. Oak 20 " " " N 2½° W 845 "  
 71.46 To a Creek 20 ch. wide cor. W.

P. 10 m p

49

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind.)

C. L.

79.21 To the sections corner. The whole of this line runs through wet barney, 2<sup>nd</sup> rate scarce of timber, a few W & B. Oak &c, & a few flag swans

North Between sections 26 & 27

10.43 To a B. Oak 20 in. dia. in the line,  
 18.80 To a Creek 20 ft. wide on W.  
 40.00 Set the gr. sec., ev. post in mound  
 60.39 To a B. Oak 20 in. dia. in the line,  
 69.15 " " W. Oak 18 " " " "  
 80.00 Set a post in water half leg deep  
 ev. sec. 23, 23, 26 & 27 from which  
 a W. Oak 20 in. dia. bears N 48° E 305 ft.  
 & a Do. 22 " " " N 65° E 416 ft.  
 Land is sec. 2<sup>nd</sup> rate wet barney & the timber  
 when any is B & W Oak &c ~

East On Random between sections 23 & 26

80.12 To the E. line of sec. 22 1/2 N. of post

West Correct the line between sections 23 & 26

40.00 Set the gr. sec., ev. post in mound  
 80.12 To the sections corner, Land is mostly  
 wet & sec. 2<sup>nd</sup> rate & scarce of timber & a few  
 1/2 W Oak & Hickory &c ~

North Between sections 22 & 23,

13.75 To a Hickory 18 in. dia. in the line,  
 32.98 To a B. Oak 20 " " " "  
 40.00 Set the gr. sec., ev. post from which  
 a B. Oak 25 in. dia. bears N 39° W 312 ft. dia.  
 & a Do. 18 " " " N 29° E 1023 ft.





T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. C.)

6. S.

East On Random between sections 11 & 14  
80.50 To the E. line of sec. 6 th. S. of post,

West Correct the line between between sec. 11 & 14

23.30 To a B. Oak 20 in. dia. in the line,

40.25 Set the gr. sur. cor. post from which  
a B. Oak 30 in. dia. bears N 23 $\frac{1}{2}$ ° W 177 th.  
+ a Do. 10 " " " N 75° W 1281,

80.50 To the sections corner,

Land level wet barney last quality saw  
of timber, B. W. Oak & Hickory N. G. same

North Between sections 10 & 11

40.00 Set the gr. sur. cor. post from which  
a B. Oak 18 in. dia. bears S 58° W 158 th. dist.  
+ a Do. 10 " " " N 58° W 125 " "

72.34 To a B. Oak 25 " " in the line,

80.00 Set a post cor. to sec. 2, 3, 10 & 11 from which  
a B. Oak 20 in. dia. bears S 49° W 381 th. dist.  
a Do. 30 " " " S 31 $\frac{1}{2}$ ° W 430 " "

Land level last quality. Barney saw of timber,  
a few B. & W. Oak &c —

East On Random between sec. 2 & 11

80.99 To the E. line of sec. at the post,

West Blazed back between sec. 2 & 11

40.49 $\frac{1}{2}$  Set the gr. sur. cor. post from which  
a W. Oak 10 in. dia. bears N 66° E 534 th. dist.  
+ a B. Oak 20 " " " N 83 $\frac{1}{2}$ ° W 674 " "

80.99 To the sections corner, Land level, more  
than half through flag & brush swamp  
past timber B. & W. Oak, Hickory &c. & N. G. same &c,

Corner

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind.')

C. L. North	Between sections 27 & 31.
40.00	Set the gr. sur. cor. post from which a B. Oak — bears N 66 E 53 1/4 M. dist, & a Do. 25 in. dia. " N 17 W 31 1/4 " "
73.68	To a B. Oak 30 " " in the line,
78.92	To the N. boundy, 252 M. W. of post, a B. Oak 20 in. dia. bears S 62 W 39 M. dist, & a Do. 22 " " " S 13 E 36 1/2 " " Land is mostly wet & part brush swamp & the timber is B. & W. Oak. & the red, white, whorl & burr Oak & Sassafras &c. —

North	Between sections 33 & 34
40.00	Set the gr. sur. cor. post from which a Large Rock bears N 86 1/2 W 62 M. dist & " " Do. " " N 44 W 60 " "
71.76	To a B. Oak 30 in. dia. in the line,
80.00	Set a post cor. to sec. 27, 28, 33 & 34 a Hickory 18 in. dia. bears S 37 1/2 E 2.15 M. & a Do. 18 " " " S 24 W 32 1/2 " dist, Land level & sec. rate scarce of timber B. & W. Oak & Hickory. & red brush same

East	On Randon between sec. 27 & 34
80.11	To the E. line of sec. 48 M. N. of post

West	Correct the line between sec. 27 & 34
40.05	Set the gr. sur. cor. post from which a Br. Oak 6 in. dia. bears S 9 W 37 M. dist, & a Bl. Oak 24 " " " S 48 W 103 " "
80.11	To the section corner, Land level dry barren, & the timber where there is any is B. W. Oak Hickory &c. —

T. 30. N. R. 1 W. 2<sup>nd</sup> Mer (Ind.?) 53

C. S.  
 North Between sections 27 & 28,  
 40.00 Set the gr. sec. cor. post from which  
     a Large Rock - " " bears S 50 E 300 yds.,  
     & a Br. Oak 15 in. dia. " N 9 W 231 "  
 67.50 To a W. Oak 12 " " in the line,  
 80.00 Set a post cor. to sec. 21, 22, 27 & 28 from wh.  
     a B. Oak 24 in. dia. bears N 56 E 182 yds.,  
     & a Do. 20 " " " S 43 E 98 "  
 Land level dry barney & the timber when  
 there is any is B. & W. Oak &c

---

East On Randone between sections 22 & 27  
 4.60 To a Creek 25 yds. wide cor. W,  
 79.84 To the E. line of sec. 27 yds. N. of post,

---

West Correct the line between sec. 22 & 27  
 39.92 Set the gr. sec. cor. post from which  
     a W. Oak 12 in. dia. bears S 52 E 123 yds.,  
     & a B. Oak 24 " " " N 45 E 104 "  
 75.24 To a Creek 25 yds. wide cor. W. N. W.,  
 79.84 " the section corner,  
 Land level sweet barney & some flag &  
 rush swamp, & the timber when there  
 is any is B. & W. Oak &c

---

North Between sections 21 & 22  
 4.35 To a Creek 25 yds. wide cor. W,  
 18.20 " " W. Oak 24 in. dia. in the line  
 40.00 Set the gr. sec. cor. post from which  
     a B. Oak 24 in. dia. bears S 50 W 157 yds.,  
     & a Do. 24 " " " N 89 W 168 "  
 80.00 Set a post cor. to sec. 15, 16, 21 & 22  
     a Hickory 18 in. dia. bears N 25 E 175 yds.  
     comp.



T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind.<sup>a</sup>)

C. L.

A B. Oak 8 in. dia. bears S 62 E 275 th. dia.  
Land dry barrens & where there is timber,  
it is W. & B. Oak & the mid brush same

East On Random between Sec. 15 & 22  
81.42 To the C. line of sec. 150 th. N. of post

West Correct the line between sec. 15 & 22  
40.71 Set the q. sec. cor. post from which  
a B. Oak 20 in. dia. bears S 3 W 130 th.  
& a Do. 20 " " " N 39 E 409.  
Land level & dry barrens scarce of timber,  
B & W Oak & mid. grs. the same,

North Between sections 15 & 16,  
12.02 To a W. Oak 15 in. dia. in the line,  
40.00 Set the q. sec. cor. post from which  
a B. Oak 18 in. dia. bears N 74 W 78 th. dia.  
& a W. Oak 18 " " " N 31 E 70 " "  
80.00 Set a post cor. to sec. 9, 10, 15 & 16 from which  
a B. Oak 20 in. dia. bears S 18 W 499 th. dia.  
& a Do. 24 " " " S 82 E 315 " "  
Land is wet barrens. some flag & bullrush  
swamps scarce of timber B & W. Oak &

East On Random between sections 10 & 15  
81.72 To the C. line of sec. 20 th. N. of post.

West Correct the line between sections 10 & 15  
40.86 Set the q. sec. cor. post from which  
a W. Oak 6 in. dia. bears S 1 1/2 W 153 th. dia.  
& a Do. 18 " " " S 58 W 237 " "  
47.11 To a B. Oak 18 " " in the line,

C. L.

81.92 To the section corner,

Land level & dry barrens & the timber is  
B. & W. Oak where there is any.

North Between sections 9 &amp; 10.

36.07 To a B. Oak 24 in. dia. in the line,

40.00 Set the gr. sur. cor. post from which  
a B. Oak 18 in. dia. bears N 58 E 87<sup>1</sup>/<sub>2</sub> lbs.

&amp; a Do. 15 " " " S 38 W 148 " dist.

80.00 Set a post cor. to sur. 34, 9 &amp; 10 from wh.

a W. Oak 10 in. dia. bears N 22 E 92<sup>1</sup>/<sub>2</sub> lbs. dist.

&amp; a B. Oak 20 " " " S 49 W 125 " "

Land level &amp; wet barrens B &amp; W. Oak &amp;c.

East On Random between sections 3 &amp; 10

81.87 To the E. line of sur. 21 lbs. N. of post,

West Correct the line between sections 3 &amp; 10

40.93<sup>1</sup>/<sub>2</sub> Set the gr. sur. cor. post ~~in the line~~81.87 To the section corner. Land level & the  
timber & are B & W Oak. (Barrens.)

North Between sections 3 &amp; 4

25.89 To a W. Oak 12 in. dia. in the line

40.00 Set the gr. sur. cor. post from which  
a W. Oak 10 in. dia. bears S 7 W 34 lbs. dist.& a B. Oak 18 " " " N 78<sup>1</sup>/<sub>2</sub> W 36 " "

63.85 To a B. Oak 18 " " in the line,

77.20 To the N. boundary. 214 lbs. W. of post

a W. Oak 15 in. dia. bears S 3<sup>1</sup>/<sub>4</sub> W 108 lbs. dist.

&amp; a B. Oak 24 " " " S 15 W 113 " "

Land greater part wet barrens W & B Oak  
where there is any -

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind.?)6. S.  
North

Between sections 32 &amp; 33.

40.00 Set the gr. sec. cor. post from which  
a W. Oak 18 in. dia. bears N 41 W 171 ths,  
& a B. Oak 18 " " " N 44 E 216 " dia.

60.90 To a Hickory 18 " " in the line,

80.00 Set a post cor. to sec. 28, 29, 32 & 33,  
& set post in mound

Land level & wet barrens. & the timber  
where there is any is Hickory W. & B. Oak.

East

On Randon between sections 28 &amp; 33

79.40 To the E. line of sec. 38 ths. N. of post

West

Correct the line between sec. 28 &amp; 33

39.70 Set the gr. sec. cor. post from which  
a Br. Oak 18 in. dia. br. N 72 W 56 ths. dia.,  
& a Br. 6 " " " N 19 W 96 " "

79.40 To the section corner, Land is level & 2<sup>nd</sup>  
rate dry barrens scarce of timber Oak &c.

North

Between sections 28 &amp; 29

21.61 To a B. Oak 24 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a Br. Oak 6 in. dia. bears N 30 W 297 ths. dia. &  
& a Hickory 20 " " " S 69 E 369 " "

70.75 To a B. Oak 20 " " in the line,

80.00 Set a post cor. to sec. 20, 21, 28 & 29  
a W. Oak 20 in. dia. bears N 70 1/2 W 104 ths. dia.,  
& a Br. 9 " " " N 74 E 78 " "

Land level & mostly wet barrens & the timber  
is B. W. Oak & Hickory &c. N. G. same when any

East

On Randon between sections 21 &amp; 28,

T. 30 N. R. 1 W. 3<sup>rd</sup> Sec. (Ind. a) 57

C. L.  
79.09 To the E. line of Sec. 21 1/2 m. S. of post

---

West Correct the line between Secs. 21 & 28,  
3.75 To a Hickory 20 in. dia. in the line,  
12.06 To a Br. Oak 8 " " " "  
39.54 1/2 Set the gr. sec. cor. post from which  
a Hickory 20 in. dia. bears S 89 E 279 1/4 m. dist.  
& a W. Oak 25 " " " N 66 E 258 " "  
45.94 To a B. Oak 35 " " in the line,  
79.09 To the section corner, Land level &  
groves of Hickory, Br. W & B. Oak &

---

North Between sections 20 & 21

11.30 To a W. Oak 25 in. dia. in the line,  
12.50 " " Creek 50 m. wide on W  
32.40 " " B. Oak 20 in. dia. in the line,  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 20 in. dia. bears N 55 E 40 1/4 m. dist.  
& a Do. 25 " " " S 60 W 90 " "  
42.50 To a W. Oak 20 in. dia. in the line,  
51.76 " " B. Oak 6 " " " " "  
57.00 " " Creek 10 m. wide on S. W,  
80.00 Set a post cor. to Secs. 16, 17, 20 & 21 from wh.  
a B. Oak 20 in. dia. bears S 82 W 90 m. dist. &  
a Do. 25 " " S. S. N 7 E 93 " "  
Land 3<sup>rd</sup> rate part wet & part dry barrens  
& scattering Oak & Hickory. &c. -

---

East On Random between sections 16 & 21

78.07 To the E. line of Sec. 38 1/2 m. S. of post

---

West Correct the line between Secs. 16 & 21  
39.53 1/2 Set the gr. sec. cor. post from which



T. 30 N. R. 1 W. 2<sup>nd</sup> New. (Ind. 2)

C. L. 46.25 78.07	a W. Oak 18 in dia. bears N 15 E 38 th. dir. & a Do. 20 " " " S 36 E 38 " " To a Creek 10 th. wide. cr. S. W. To the section corner. The whole of this line runs through open prairie, interspersed by trees, small groves of B. Oak & W. Oak On each side -
North 40.00 80.00	Between sections 16 & 19 Set the gr. sec. cor. post from which a W. Oak 20 in dia. bears N 47 E 48 th. dir. & a Do. 7 " " " N 61 W 390 " " Set a post cor to sec. 8, 9, 16 & 19. in mound Land level sweet prairie & a few scattering trees of B. Oak & W. Oak &c
East 77.94	On Random between Sections 9 & 16 To the E. line of sec. 11 7 th. N. of post
West 17.46 20.63 38.97 77.94	Correct the line between Sections 9 & 16 To a B. Oak 20 in dia. in the line, " " Do. 18 " " " " Set the gr. sec. cor. post from which a W. Oak 20 in dia. bears N 13 E 58 th. & a B. Oak 25 " " " N 40 E 40 " dir. To the section corner East $\frac{1}{2}$ mile dry & timbered. W $\frac{1}{2}$ is wet & no timber. B. Oak W. Oak & Hickory & the Mus. Gtts. Whortleberry. Oak B. & W. & Hickory &c
North 40.00	Between sections 8 & 9 Set the gr. sec. cor. post from which a B. Oak 15 in dia. bears S 24 E 218 th.

6. L. & a W. Oak 20 in. dia. bears N 17 E 195 ft.  
 51.36 To a B. Oak 25 " " in the line,  
 79.56 " " B. Oak 30 " " " "  
 80.00 Set a post cor. to sec. 4, 5, 8 & 9 from wh.  
 a W. Oak 30 in. dia. bears N 25 W 7 ft. dist.  
 & a B. Oak 18 " " " N 78 E 20 " "  
 Land level & mostly wet barrens &  
 scarce of timber. W & B. Oak & most of this  
 of the same kind where there is any.

---

East On Railroad between sec. 4 & 9  
 79.36 To the E. line of sec. 36 th. N. of post

---

West Correct the line between sec. 4 & 9  
 39.67 Set the gr. sec. cor. in. a mark  
 a W. Oak 20 in. dia. bears N 69 E 126 ft. th.  
 & a B. Oak 20 " " " N 6 E 5.89 "  
 71.02 To a B. Oak 20 " " in the line  
 79.36 To the sections corner. Land level  
 & the timber is scarce of W & B. Oak.  
 N. G. flags & Bull Rushes & a few groves

---

North Between sections 4 & 5  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 5 in. dia. bears N 79 E 100 ft.  
 & a Do. 18 " " " N 78 W 330 ft. dist.  
 43.04 To a B. Oak 18 " " in the line,  
 52.04 " " Do. 20 " " " " "  
 60.70 " " Do. 18 " " " " "  
 76.40 " the N. boundary. 207 ft. W. of post &  
 Raised a mound. Land wet barrens  
 a few trees, B & W Oak & the N. G. same.

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. a.)Co. L.  
North

40.00

Between sections 32 &amp; 31,

Set the gr. sec. cor. post from which  
a B. Oak 25 in. dia. bears N 35 E 220 M.  
4 a W. Oak 30 " " " N 83 E 350 "

55.50

To a W. Oak 20 " " in the line,

58.50

" " Do. 25 " " " " "

80.00

Set a post cor. to sec. 29, 30, 31 &amp; 32

a B. Oak 20 in. dia. bears S 14 W 179 M.

4 a Hickory 20 " " " S 82 E 356 "

Land 3<sup>rd</sup> into bearing same of timber  
Hickory B. & W. Oak. N. G. same where any is

East On Random between sec. 29 &amp; 32

79.64

To the Co. line of sec. 16 M. S. of mound

West

25.40

Correct the line between sec. 29 &amp; 32

To a B. Oak 16 in. dia. in the line,

39.82

Set the 2<sup>nd</sup> sec. cor. post from which

a Hickory 8 in. dia. bears S 1 1/2 W 21 M. dia.

4 a B. Oak 18 " " " S 8 E 49 " "

79.64

To the Sections Corner, Land level  
interspersed with flag swamp & rush  
small groves of B. Oak W. Oak & Hickory,

West

34.40

On Random between sections 30 &amp; 31

To a W. Oak 30 in. dia. in the line,

81.86

To the W. boundary, 6 M. S. of post,

East

4.90

Correct the line between sec. 30 &amp; 31

To a Hickory 12 in. dia. in the line,

5.50

" Mill creek 50 M. wide cor. W. M.

26.86

" " Do. 50 " " " W.

44.86

Set the gr. sec. cor. post from which

C. L. a B. Oak 30 in. dia. bears N 22 E 60 M. dist,  
 & a W. Oak 20 " " " S 63 W 112 " "  
 42.42 To a W. Oak 30 " " in the line,  
 81.86 To the sections corner, Land sec. rate &  
 the timber is Hickory - Elm W & B. Oak &

North Between sections 29 & 30  
 16.50 To a Creek 50 M. wide cor. W,  
 35.82 To a W. Oak 25 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 30 in. dia. bears N 26 E 4 M. dist,  
 & a W. Oak 20 " " " S 68 W 43 " "  
 44.50 To an Aspen 9 " " in the line,  
 63.92 To a B. Oak 10 " " " " "  
 67.15 " " W. Oak 20 " " " " "  
 80.00 Set a post cor. to sec. 18. 19. 20. 29 & 30,  
 a B. Oak 10 in. dia. bears N 34 E W 22 M.  
 & a Do. 30 " " " S 21 W 133 " dist,  
 Land is sec. rate & the timber is Oak & Elm  
 & the Ind. Lth. is the same where there is any

East On Hand one between sec. 20 & 29  
 79.59 To the E. line of sec. at post

West Blazed bark on line between sec. 20 & 29  
 10.12 To a W. Oak 20 in. dia. in the line,  
 39.79 Set the gr. sec. cor. post from which  
 a B. Oak 20 in. dia. bears S 64 E 510 M.  
 & a Willow 10 " " " N 32 E W 237 " "  
 40.88 To a Creek 50 M. wide course South  
 50.89 " " W. Oak 20 in. dia. in the line  
 79.59 To the sections corner, Land sec. rate  
 & the timber is scarce. Oak Hickory &



T. 30 N. R. 1 W. 2<sup>nd</sup> Nov. (Ind<sup>a</sup>)

C. L. Home Willow at crossing of creek &amp;c.

West On Random between sec. 19 & 30,  
82.11 To the W. boundary, at post.

East correct the line between sec. 19 & 30  
2.10 To Tippecanoe River set post on right bank  
a W. Oak 40 in dia, bears S 87 W 140 the dist,  
& a Do. 35 " " " S 85 W 145 " "  
6.70 Over River to Left bank at a Hornbeam 8 in dia,  
a B. Oak 30 in dia, bears N 45 E 48 the dist &  
a W. Do. 10 " " " S 21 E 120 " "  
42.11 Set the gr. sec. cor. post from which  
a B. Oak 18 in dia, bears N 4 W 20 the dist &  
a W. Oak - " " " S 10 E 28 " "  
69.07 To a B. Oak 25 in dia, in the line,  
82.11 To the sections corner,  
Land level & third rate & the timber  
is W & B. Oak & wood, gth. same where any is,

North Between sec. 19 & 20,  
19.35 To a W. Oak 20 in dia, in the line,  
38.37 " " Do. 25 " " " " "  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 25 in dia, bears N 33 W 47 the dist,  
& a Do. 35 " " " S 38 E 67 " "  
52.99 To a B. Oak 25 " " in the line,  
69.73 " " W. Oak 23 " " " " "  
80.00 Set a post cor. to sec. 17, 18, 19 & 20,  
a B. Oak 20 in dia, bears N 37 W 25 the dist,  
& a Do. 22 " " " N 57 1/2 W 12 " "  
Land is level & 3<sup>d</sup> rate & the timber is  
W & B. Oak Hickory & wood, gth. same &c.

T. 30 N. R. 1 W 2<sup>nd</sup> Mer. Indiana.

C. S.

East On Random between sections 17 & 20  
 79.69 To ~~the~~ E. line of sections 7<sup>th</sup> N. of post,

West Correct the line between sec. 17 & 20  
 4.20 To a B. Oak 20 in. dia. in the line,  
 39.84<sup>2</sup> Set the gr. sur. cor. post from which  
 a W. Oak 20 in. dia. bears S 26 49 N. 49 in. dist,  
 & a B. Oak 22 " " " N 65 1/2 W 56 " "  
 59.11 To a B. Oak 25 " " in the line,  
 79.69 " the sections corner, Land 3<sup>rd</sup> rate  
 burning, scattering trees of B & W. Oak,  
 some flay & Bull Rush swamps. &c

West On Random between sec. 18 & 19  
 81.82 To the W. boundary 65<sup>th</sup> N. of post,

East Correct the line between sec. 18 & 19  
 13.47 To a B. Oak 30 in. dia. in the line,  
 44.82 Set the gr. sur. cor. post from which  
 a B. Oak 22 in. dia. bears N 35 W 33 1/2 in. dist,  
 & a W. Oak 20 " " " S 33 1/2 W 55 " "  
 44.58 To Right bank of Tippecanoe river set post  
 a B. Oak 20 in. dia. bears N 82 1/2 E 20 in. dist &  
 a Do. - " " " S 25 1/2 E 22 " "  
 72.58 To the left bank of Tippecanoe to a line  
 tree 30 in. dia. corner, from which  
 a W. Oak 20 in. dia. bears S 64 E 91 in. dist &  
 a Do. 20 " " " S 46 E 103 " "  
 81.82 To the sections corner,  
 Land is 3<sup>rd</sup> rate & part wet burning & part  
 timbered with B. W. Oak. Lynx Sycamore &  
 mud, 3<sup>rd</sup> rate, sand where there is any

T30 N. R. 1 W. 3<sup>rd</sup> Mer. (Ind. 4)

C. S.

North Between sections 17 &amp; 18,

- 1.32 To a B. Oak 30 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
     a W. Oak 18 in. dia. bears S53 W 105 1/2 m.  
     & a B. Oak 18 " " " N47 W 83 " 1/2 m.  
 47.93 To a B. Oak 30 " " in the line,  
 49.81 " " Do. 30 " " " " "  
 80.00 Set a post cor. to sec. 7, 8, 17 & 18 from wh.  
     a W. Oak 25 in. dia. bears N23 W 233 1/2 m. dist.  
     & a B. Oak 18 " " " S27 W 275 " "  
 Land level & sec. rate & the timber is scarce  
 W & B Oak bearing, M. G. same where any is,
- 

East On Random between sec. 8 &amp; 17

- 79.36 To the E. line of sec. 6 1/2 m. N. of post,
- 

West Correct the line between sec. 8 &amp; 17

- 39.68 Set the gr. sec. cor. post from which  
     a B. Oak 30 in. dia. bears S81 E 330 1/2 m. dist.,  
     & a W. Oak 23 " " " N29 W 112 " "  
 79.36 To the sections corner,  
 Land level 3<sup>rd</sup> rate & wet; almost destitute  
 of timber, Bullrush & flag swamps in places
- 

West On Random between sections 18 &amp; 7

- 80.40 To the W. boundary, 58 1/2 m. N. of post,
- 

East Correct the line between sec. 7 &amp; 18,

- 8.70 To a B. Oak 18 in. dia. in the line,  
 22.05 " " W. Oak 30 " " " "  
 30.04 " " Do. 20 " " " "  
 40.40 Set the gr. sec. cor. post from which  
     a B. Oak 4 in. dia. bears N57 E 30 1/2 m. dist.,

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. A.)

625

61.21 To B. Oak 6 in. dia. bears S 12 W 5 1/2 m. dist,  
48.19 To a W. Oak 20 " " in the line,  
80.40 To the section corner, Land 3<sup>rd</sup> rate  
level & timbered with W & B. Oak & Hickory

North Between sections 7 & 8,  
37.98 To a W. Oak 6 in. dia. in the line,  
40.00 Set the gr. sur. cor. post from which  
a B. Oak 6 in. dia. bears S 75 E 50 m. dist,  
 & a W. Oak 5 " " " N 84 W 37 " "  
80.00 Set a post cor. to sur. 5, 6, 7 & 8 from which  
a W. Oak 30 in. dia. bears N 35 W 17 1/2 m. dist,  
 & a No. 25 " " " N 60 W 225 " "  
Land level third rate & scarce of timber  
of any kind & mostly wet,

East On Random between sections 5 & 8,  
79.64 To the E. line of sur. 50 m. S. of post,

West Correct the line between sur. 5 & 8,  
16.95 To a B. Oak 8 in. dia. in the line,  
39.82 Set the gr. sur. cor. post from which  
a W. Oak 30 in. dia. bears N 32 E 240 m.  
 & a Hickory 8 " " " S 24 1/2 W 295 "  
52.25 To a W. Oak 20 " " in the line,  
79.64 " the section corner,  
Land is mostly wet bearing a few trees  
of B. & W. Oak, M. G. G. Grap Flags & Bull rushes

West On Random between sec. 6 & 7  
81.48 To the W. boundary, 148 m. N. of post,

East Correct the line between sur. 6 & 7



T. 30 N. R. 1 W. 3<sup>rd</sup> Mer. (Ind.)

6. L.  
 7.81 To a B. Oak 20 in. dia. in the line,  
 18.60 To the right bank of Tippecanoe River,  
 a Hickory 12 in. dia. bears S 29° E 50 M. dist.,  
 & a B. Oak 12 " " " N 58° W 49 " "  
 24.25 To a W. Oak 20 " " Over River on Left bank  
 a B. Oak 5 " " bears N 84° E 15 M. dist. &  
 & a Do. 4 " " " S 17° E 11 " "  
 41.48 Set the gr. sec. cor. post from which  
 a W. Oak 30 in. dia. bears S. 42° W 91 M. dist.,  
 & a Do. 20 " " " S 65° W 124 " "  
 81.48 To the sections corner, Land sec. rate  
 & the timber is W. B. Oak & Hickory. N. G. same as,

- North Between sections 5 & 6,  
 14.40 To a B. Oak 20 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 30 in. dia. bears N 86° W 9 M. dist. &  
 & a Do. 20 " " " S 23° W 46 " "  
 69.03 To a Hickory 4 " " in the line  
 70.00 " " Do. 18 " " " " "  
 78.30 " the N. corner, 197 M. W. of post,  
 & set post cor. to sec. 5 & 6, from which  
 a W. Oak 25 in. dia. bears S 41° E 150 M. dist.,  
 & a Do. 30 " " " N 44° W 215 " "  
 Land sec. rate bears same of timber W. B.  
 Oak & Hickory. N. G. same where any is.

Meanders of Tippecanoe River, Left bank  
 Down stream - In sec. 6,

Course	C. L.	Remarks,
S 55° W	3.43	
S 26° W	11.45	
S 56° W	11.18	

T. 30 N. R. 1 W. 3<sup>rd</sup> Mer. (Ind. ?)

Comm. to L.		Meander continued,
S 19 W	5.83	
S 26 W	5.50	To N. point of island
S 30 W	8.22	" S. " " " To Range line,
S 28 E	5.42	In sec. 6 again,
S 14 E	3.82	
S 30 E	4.21	
S 58 E	7.08	
S 47½ E	5.83	
S 50 E	6.50	To N. point of an Island
S 40 E	3.50	
S 27 E	2.40	
S 9 W	4.26	To W. side between sec. 6 & 7 & S. point of Island
S 19 W	1.83	In sec. 7
S 44 W	6.00	Island
S 46 W	7.25	
S 27½ W	5.60	
S 25 W	3.41	To mouth of a creek 30 lbs. wide
S 31 W	4.50	
S 43½ W	6.29	Sec. 7,
S 60 W	1.95	
S 69 W	1.26	To post in Range line,
N 77 E	4.22	
S 48 E	4.12	
S 27½ E	12.83	To an Island
S 31 E	4.98	
S 15 E	3.83	
S 27 E	3.64	
S 35½ E	4.00	

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. a.)

Conno C. L. Meander continued.

S 78 E 5.35

S 85 E 8.18

N 2 W 10.58

N 85 E 12.74

N 80 E 5.06

N 86 E 4.53

S 79 E 5.24

S 27 E 7.00

S 21 E W 7.12

S 72 W 5.61

To a Line 30. between Secs. 18 &amp; 19

S 65 W 11.00

In Sec. 19

N 89 W 4.00

High Bluffs

N 75 W 4.98

N 73 E W 5.00

S 37 W 2.88

S 10 E 13.13

S 22 W 7.79

S 69 W 18.00

S 39 W 10.00

S 28 E W 7.21

S 45 W 8.40

S 41 E W 10.22

S 5 E 10.59

Island

S 4 E 3.50

S 24 W 11.04

S 38 W 2.46

To Monkshead between Secs. 19 &amp; 30

S 17 E 1.16

In Sec. 30

S 28 E W 6.10

S 33 E W 6.00

S 80 E W 63

To Range line Oak corner.

Come to L. S40 E 3.80 S10½ W 5.00 S46 W 3.17	Meanders continued, In sec. 30 again, To Range line,
S49½ W 2.24 S34 W 11.58 S53 W 12.00 S21 W 7.04	Right bank, Down Tippecanoe R. In sec. 6, To post on Range line,
S43 E 17.26 S41 E 5.50 S35 E 5.71	In sec. 6 again, To post between sec. 6 & 7
S77½ W 6.69 S22½ W 5.91 S15 W 7.50 S37 W 13.31	In sec. 7 High bluffs To post on Range line,
N84 E 4.20 S26 E 15.50 S22 E 5.50 S24 E 9.26 S73 E 5.44 S82½ E 9.13 S77½ E 4.87 S83½ E 6.40 N84½ E 7.30 N88 E 4.84 N78 E 8.04 S81 E 11.07 S58½ E 2.98	In sec. 18,



T. 30 N. R. 1 W. 2<sup>nd</sup> Mer. (Ind. <sup>o</sup>)

Course C. E. Meander Continued)

S 8 E 4.73,

S 66 $\frac{1}{2}$  W 7.86

S 75 W 4.15

S 58 W 3.05

N 74 $\frac{1}{2}$  W 13.35

S 64 W 3.50

S 30 $\frac{1}{2}$  W 3.26

To post between sur. 18 &amp; 19

S 30 W 3.00

S 1 E 17.94

S 72 W 11.96

S 54 W 10.38

S 25 $\frac{1}{2}$  W 14.86

S 41 W 15.26

S 9 W 16.34

S 17 $\frac{1}{2}$  W 6.07

S 3 W 4.07

To post between sur. 19 &amp; 30

S 28 W 4.76

In sur. 30 - To Range line,

The foregoing contains a true copy  
of the survey field notes of this town  
- ship. Robert Hanna, Deputy, Sur.<sup>r</sup>

T. 30 N. R. 1 W. 2<sup>nd</sup> Mer (Ind.?) 71

I certify that the foregoing transcript  
of field notes of Township 30 North  
Range 1 West of 2<sup>nd</sup> Mer. Indiana, has  
been compared with a certified copy  
of the original in this office & found  
to be correct.

E. S. Haines

Sur. Genl.

Surveyor General's office,  
Cincinnati. February 7<sup>th</sup> 1842. 3